

pre-press

manual mesh stretcher

## TENDIMEC



### Description

The manual mesh stretcher model **TENDIMEC** has been designed and built for screen stretching. The equipment is made of:

- One **metallic grill** where you can place the frames. This grill can be lifted during stretching thanks to a hand-wheel.
- One **wooden roll** which holds the mesh and allows the stretching in the longitudinal direction thanks to a second hand-wheel.
- **Two bars** equipped with pins that hold the mesh and allow the stretching in the transverse direction thanks to a third hand-wheel.

Special bars called *separators*, to be used after the stretching, ensure a perfect contact of the mesh with the screen frames.

With **TENDIMEC** you can realise more screens simultaneously in an easy, fast and without appreciable mesh scraps.

### Technical data

Stretchable screens:	wooden and metallic frames
Screens thickness range:	up to 80 mm
Usable meshes:	screen printing meshes in polyester and nylon
Metallic grill size <sup>1</sup> :	1350 mm x 1350 mm
	1350 mm x 2100 mm
	1350 mm x 2600 mm
	1700 mm x 2600 mm
	2000 mm x 2600 mm

[1] Any other size available on request.

In order to improve the quality of the product, Mismatic Company is allowed to effect modifications in the manufacturing without any obligation to notify the same to the Customer.